

Hospitals Report on Medication Safety in Canada

Over the past decade, patient safety has become a strategic priority for all healthcare sectors. One important component of patient safety is medication safety. Practitioners working in concert with national safety agencies, including ISMP Canada and the Canadian Patient Safety Institute, and with support from various provincial initiatives and Accreditation Canada, have undertaken collaborative efforts to enhance the safety of medication management. To assess the progressive impact of these initiatives over time, it is important to develop qualitative and quantitative measurement processes. One valuable source of information is the biennial Hospital Pharmacy in Canada Report.¹ The 17th report in this series, released in 2009, is available at http://www.lillyhospitalsurvey.ca/hpc2/content/rep_2008.toc.asp. Each of the 4 most recent reports, beginning with the 2001/02 report, has dedicated one section to the topic of medication safety, and these sections provide a useful perspective on changes in medication management processes across Canada. This bulletin highlights some of the achievements in medication system safety that have been reported by Canadian hospitals.

The Hospital Pharmacy in Canada 2007/2008 Report¹ summarized responses from the 166 hospitals (out of 223 hospitals invited to participate) that responded to the survey, a 74% response rate. The responding hospitals consisted of 40 teaching hospitals and 126 nonteaching hospitals. To be eligible to participate, hospitals had to have a minimum of 50 acute care beds. The participating organizations represented 69,212 inpatient beds, of which 49,014 were acute care beds.¹ Of the 166 responding hospitals, 161 completed the Medication Safety section of the 2007/08 survey, and the data presented in the following sections relate to these 161 respondents.²

Learning from Medication Incidents

A key component of a safe medication-use system is a system for reporting and analyzing medication-related incidents. All of the 161 respondents indicated that such a reporting system was in place, with 90% reporting that a designated committee was responsible for reviewing the incidents.

Since the 2001/02 report, there has been a dramatic

increase in the proportion of respondents indicating that their hospitals reported medication incidents externally, to regional health authorities, to provincial reporting systems, or to ISMP Canada (see Figure 1).^{2,3} The 2007/08 report notes that “The presence of reporting systems, in all of the hospitals that participated in the 2007/08 survey, will hopefully facilitate future participation in the Canadian Medication Incident Reporting and Prevention System (CMIRPS) ... CMIRPS is part of the pan-Canadian reporting and learning system being developed to support the capture, analysis and dissemination of information about adverse events, with the goal of insuring that known risks are acted upon in a coordinated and timely manner.”²




Figure 1: Reporting of medication incidents to external bodies^{2,3}

Nearly 60% of all respondents indicated that information from published incident reports was broadly disseminated to staff and physicians. Such dissemination supports the CMIRPS goal of shared learning from incident analysis.

Actions to Reduce Risk

Understanding the underlying system-based weaknesses that contribute to medication-related incidents requires both retrospective analysis of incidents that have occurred and prospective analysis of the potential for error. The 2007/08

report notes that 63% of respondents (90 of 142) reported conducting a retrospective analysis (root cause analysis) of one or more medication incidents in the previous year, and 46% (72 of 157) reported conducting a prospective analysis (e.g., failure mode and effects analysis) related to medication safety in the same time period. Of the respondents who reported conducting a retrospective or prospective medication safety-related analysis, nearly all (94% for each) reported that they had implemented improvements as a result.²

In 2005, Accreditation Canada's Standards for Managing Medications, as well as various Required Organizational Practices (ROPs), were implemented as strategies for safe medication management. The medication-related ROPs highlight the importance of safely managing high-alert medications, including concentrated electrolytes, heparin, and opioids.⁴ Several questions in the Hospital Pharmacy in Canada survey collect information relevant to such Accreditation Canada requirements, and Figure 2 highlights some of the responses related to this from each biennial survey since 2001/02.^{2,3,5,6}

Medication reconciliation, a structured process for preventing medication errors at transitional points in care, is an ROP of Accreditation Canada⁴ and is among the interventions promoted through the Canadian Patient Safety Institute's Safer Healthcare Now! (SHN) campaign. The SHN medication reconciliation interventions are led by ISMP Canada.⁷ Overall, 72% (114 of 159) of respondents to the Medication Safety section of the 2007/08 Hospital

Pharmacy in Canada survey reported that a formal process was in place to obtain a complete list of the patient's current home medications. Of these, 94% reported having a formal process for using this medication list when admission orders were written. These data suggest that there has been considerable uptake of medication reconciliation processes for these transition points.

Nearly two-thirds (99 of 156) of the 2007/08 respondents indicated that they had completed a medication safety self-assessment within the previous 2 years, and 93% of these reported using the ISMP Canada program.⁸ The report notes that "with the implementation of the new Managing Medications Standards, surveyors from Accreditation Canada now frequently ask if you have conducted a Medication Safety Self-Assessment tool and if you wish to share the results at the time of the survey."²

Conclusions

Safety can be described as *what doesn't happen*. As such, the measurement of safety can be difficult. However, measurement strategies are necessary to ensure that the various safety initiatives and interventions being implemented across the country are actually having a positive effect on the risk of preventable harm. Given that medication incidents of a specific type may occur only rarely and that incident reporting systems rely primarily on voluntary reports, lack of reports about a particular type of incident cannot be interpreted as evidence that the underlying causes have been resolved. Thus, a variety of proxy measurements, such as the level of implementation




Figure 2: Implementation of selected Accreditation Canada standards and Required Organizational Practices (ROPs)^{2,3,5,6}

of evidence-based practices that are known to reduce the risk of a particular incident, are needed. For example, a constraint function, such as the removal of concentrated potassium chloride from patient care areas, is known to decrease the potential for its inadvertent administration; therefore, widespread removal is likely to decrease the risk of incidents across the country.

In addition to specific content on the topic of medication safety, the Hospital Pharmacy in Canada Reports also provide valuable information about progress in other areas of pharmacy practice, such as clinical services, drug distribution, and use of technology, all of which affect patient care processes and safety. These reports have been a useful resource and benchmarking tool for individual pharmacy departments and hospital leadership for many years; this bulletin suggests that they can also provide an important longitudinal perspective on the evolution of safe medication management practices in Canadian hospitals

and the accomplishments achieved to date. ISMP Canada strongly encourages all eligible Canadian hospitals to participate in the 2009/10 survey, which will be available in June 2010.

Please refer to page 4 for references.

Acknowledgements

ISMP Canada gratefully acknowledges the expert review of this bulletin by (in alphabetical order):

Patricia Lefebvre BPharm MSc FCSHP, Member of the Editorial Board for the Hospital Pharmacy Report in Canada, Pharmacist-in-chief, McGill University Health Centre, Montréal, QC; and Patricia Macgregor BSc(Hons), Member of the Editorial Board for the Hospital Pharmacy Report in Canada, Director of Pharmacy, The Scarborough Hospital, Scarborough, ON.

Community Pharmacy Incident Reporting Program

ISMP Canada has developed the Community Pharmacy Incident Reporting (CPhIR) Program (<http://www.cphir.ca>), with support from the Ontario Ministry of Health and Long-Term Care, to allow community pharmacies to document and analyze contributing factors that can cause errors in the medication-use system. Through an understanding of these contributing factors, community pharmacy teams can then develop and implement system-based strategies for improving the quality of medication therapy in the community and preventing medication-related incidents. Input to the program from pharmacists and pharmacy technicians in Ontario and Nova Scotia (the latter through the SafetyNET-Rx Phase I pilot project, 2008–2009) has been extremely helpful and greatly appreciated.

Of note, SafetyNET-Rx, a program dedicated to medication safety and continuous quality improvement, has now been expanded from 13 to 72 community pharmacies in Nova Scotia. A training session held in Halifax in early April 2010 is described in an article posted at <http://www.stfx.ca/news/view/2151/>.

The CPhIR Program contributes to the Canadian Medication Incident Reporting and Prevention System (CMIRPS) (<http://www.ismpcanada.org/cmirps.htm>). A goal of CMIRPS is to analyze medication incident reports and develop recommendations for enhancing medication safety in all healthcare settings. If you would like more information about the CPhIR Program, please contact ISMP Canada at cphir@ismp-canada.org.

References

1. Babich M, Bussi eres JF, Hall KW, Harding J, Johnson N, Lefebvre P, et al., editors. Hospital pharmacy in Canada 2007/2008 report. Eli Lilly; 2008 [cited 2010 Apr 19]. Available from: http://www.lillyhospitalsurvey.ca/hpc2/content/rep_2008_toc.asp
2. Lefebvre P. G – Medication safety. In: Babich M, Bussi eres JF, Hall KW, Harding J, Johnson N, Lefebvre P, et al., editors. Hospital pharmacy in Canada 2007/2008 report. Eli Lilly; 2008 [cited 19 Apr 19]:53-66. Available from: http://www.lillyhospitalsurvey.ca/hpc2/content/2008_report/medicationsafety.pdf
3. Harding J, Lefebvre P. Special interest section – medication incidents. In: McKerrow R, Lefebvre P, Johnson N, Long S, Hall KW, Rappaport P, et al., editors. Annual report 2001-2002: hospital pharmacy in Canada. Medication incidents. Eli Lilly; 2002 [cited 2010 Apr 6]. Available from: <http://www.lillyhospitalsurvey.ca/hpc2/content/Rep2002.pdf>
4. Accreditation Canada required organizational practices. Ottawa (ON): Accreditation Canada; [cited 2010 Apr 20]. Available from: http://www.accreditation.ca/uploadedFiles/Knowledge_Exchange/Patient_Safety/Required_Organizational_Practices/ROP%20chart%20EN.pdf
5. Lefebvre P. Medication safety. In McKerrow R, Bussi eres JF, Johnson N, Macgregor P, Hall KW, Lefebvre P, et al. editors. 2003/2004 annual report: hospital pharmacy in Canada. Medication safety. Eli Lilly 2004 [cited 2010 Apr 29]: 51-60. Available from: http://www.lillyhospitalsurvey.ca/hpc2/content/2004_Report/2003_04_full.pdf
6. Lefebvre P. Medication safety. In Babich M, Bussi eres JF, Hall KW, Harding J, Johnson N, Lefebvre P, et al., editors. 2005/06 annual report: hospital pharmacy in Canada Ethics in hospital pharmacy. Eli Lilly; 2006 [cited 2010 Apr 29]: 58-73. Available from: http://www.lillyhospitalsurvey.ca/hpc2/content/2006_report/2005_06_full2.pdf
7. Clinical supports: the Institute for Safe Medication Practices (ISMP) Canada. In: Safer Healthcare Now! [website on Internet]. Edmonton (AB): Canadian Patient Safety Institute; 2010 [cited 2010 May 4]. Available from: <http://www.saferhealthcarenow.ca/EN/about/WhoWeAre/clinicalSupports/Pages/ismcp.aspx>
8. Medication safety self-assessment. Toronto (ON): Institute for Safe Medication Practices Canada;   2000-2010 [cited 2010 May 4]. Available from: <http://www.ismp-canada.org/mssa.htm>

 2010 Institute for Safe Medication Practices Canada. Permission is granted to subscribers to use material from the ISMP Canada Safety Bulletin for in-house newsletters or other internal communications only. Reproduction by any other process is prohibited without permission from ISMP Canada in writing.

ISMP Canada is a national voluntary medication incident and ‘near miss’ reporting program founded for the purpose of sharing the learning experiences from medication errors. Implementation of preventative strategies and system safeguards to decrease the risk for error-induced injury and thereby promote medication safety in healthcare is our collaborative goal.

Medication Incidents (including near misses) can be reported to ISMP Canada:

(i) through the website: http://www.ismp-canada.org/err_report.htm or (ii) by phone: 416-733-3131 or toll free: 1-866-544-7672.

ISMP Canada can also be contacted by e-mail: cmirps@ismp-canada.org. ISMP Canada guarantees confidentiality and security of information received, and respects the wishes of the reporter as to the level of detail to be included in publications.

A Key Partner in the Canadian Medication Incident Reporting and Prevention System