

Additional Resources, Hospital Polices, Procedures and Guidelines and Literature/Information

Canadian Hospital Policies, Procedures, and Guidelines

- Fluid management in hospitalized children: preventing iatrogenic hyponatremia. Version 1. Vancouver (BC): BC Children's Hospital; 2008 Apr 11 [cited 2009 Jun 14]. Available from: <http://www.childhealthbc.ca/resources/category/11-fluid-management-in-hospitalised-children?download=21%3Afluid-managementguileline>
- Hospital-wide patient care clinical practice guideline. Fluid and electrolyte administration in children. Toronto (ON): Hospital for Sick Children; 2007 Dec 4 [cited 2009 Jun 14]. Available from: http://www.cags-accg.ca/docs/Fluid_and_Electrolyte_Administration_-_CPG.pdf
- Hurdowar A, Urmson L, Bohn D, Geary D, Laxer R, Stevens P. Compliance with a pediatric clinical practice guideline for intravenous fluid and electrolyte administration. Healthc Q. 2009;12 Spec No. Patient:129-134.

International Hospital Policies, Procedures, and Guidelines

- Paediatric parenteral fluid therapy (1 month – 16 yrs): Initial management guideline [wall chart]. Belfast (Ireland): Government of Northern Ireland, Department of Health, Social Services and Public Safety; 2007 Sep [cited 2009 Jun 14]. Available from: http://www.dhsspsni.gov.uk/hsc_sqsd_20-07_wallchart.pdf
- Ellis D. Women and Children's Directorate: management of symptomatic hyponatraemia. Glasgow (Scotland): Royal Hospital for Sick Children and Queen Mother's Hospital; 2008 May [cited 2009 Jun 14]. Available from: <http://www.clinicalguidelines.scot.nhs.uk/YOR-DIV-004%20Symptomatic%20Hyponatraemia%20approved%20pdf%20new.pdf>
- Patient safety alert 22: reducing the risk of hyponatraemia when administering intravenous infusions to children. London (UK): National Patient Safety Agency; 2007 Mar 28 [cited 2009 Jun 14]. Available from: <http://www.nrls.npsa.nhs.uk/EasySiteWeb/getresource.axd?AssetID=60073&type=full&servicetype=Attachment>
- Background information: Patient safety alert 22: Reducing the risk of hyponatraemia when administering intravenous infusions to children. London (UK): National Patient Safety Agency; revised 2008 March June [cited 2009 Jun 14]. Available from: <http://www.nrls.npsa.nhs.uk/EasySiteWeb/getresource.axd?AssetID=60071&type=full&servicetype=Attachment>

Canadian Literature/Information

- Hyponatremia in children. Ottawa (ON): Canadian Medical Protective Association; 2008 Dec [cited 2010 Jul 19]. Available from: http://www.cmpa-acpm.ca/cmpapd04/docs/resource_files/infoletters/2008/pdf/com_il0840_1-e.pdf
- Report of the Paediatric Death Review Committee and Deaths Under Five Committee. Toronto (ON): Office of the Chief Coroner Province of Ontario; 2007 Jun [cited 2009 Jun 14]. p. 19-20. Available from: <http://www.oacas.org/pubs/external/pdrcannualreportfinal07june04.pdf>
- Bohn D. Acute Hyponatremia in Hospitalized Children. Society of Critical Care Medicine podcast (SCCM Pod-96 PCCM). 2008 Dec 1 [retrieved 2010 Jun 14]. Available from: <http://www.sccm.org/PodCasts/SCCMPod96.mp3>
- Beck CE. Hypotonic versus isotonic maintenance intravenous fluid therapy in hospitalized children: a systematic review. Clin Pediatr. 2007;46(9):764-770.
- Choong K, Kho ME, Menon K, Bohn D. Hypotonic versus isotonic saline in hospitalised children: a systematic review. Arch Dis Child. 2006;91(10):828-835
- Halberthal M, Halperin ML, Bohn D. Lesson of the week: acute hyponatraemia in children admitted to the hospital: retrospective analysis of factors contributing to its development and resolution. BMJ. 2001;322:780-782
- Hoorn EJ, Geary D, Robb M, Halperin ML, Bohn D. Acute hyponatremia related to intravenous fluid administration in hospitalized children: an observational study. Pediatrics. 2004;113(5):1279-1284.
- Larson A. Managing the risks of acute hyponatremia from intravenous fluids in children. Patient safety teleconference 2009 Nov 27 [cite 2010 Jun 15]. Available from: http://www.caphc.org/documents_programs/patient_safety/pmrc_teleconference_8_larson_word.pdf
- Shafiee MA, Bohn D, Hoorn EJ, Halperin ML. How to select optimal maintenance intravenous fluid therapy. Am J Med. 2003;96(8):601-610.
- Skippen P, Adderley R, Bennett M, Cogswell A, Froese N, Seear M, et al. Iatrogenic hyponatremia in hospitalized children: can it be avoided? Paediatr Child Health. 2008;13(6):502-506.

International Literature/Information

- Au AK, Ray PE, McBryde KD, Newman KD, Weinstein SL, Bell MJ. Incidence of postoperative hyponatremia and complications in critically-ill children treated with hypotonic and normotonic solutions. J Pediatr. 2008;152(1):33-38.
- Auroy Y, Benhamou D, Péquignot F, Jouglu E, Lienhart A. Hyponatraemia-related death after paediatric surgery still exists in France. Br J Anaesth. 2008;101(5):741.
- Duke T, Moyneux EM. Intravenous fluids for seriously ill children: time to reconsider. Lancet. 2003;362:1320-1323.
- Duke T, Kinney S, Waters K. Hyponatraemia and seizures in oncology patients associated with hypotonic intravenous fluids. J Paediatr Child Health. 2005;41(12):685-686.

- Hanna S, Tibby SM, Durward A, Murdoch IA. Incidence of hyponatremia and hyponatremic seizures in severe respiratory syncytial virus bronchiolitis. *Acta Paediatr.* 2003;92:430-434.
- Hatherill M. Rubbing salt in the wound. The case against isotonic parenteral maintenance solution. *Arch Dis Child.* 2004;89(5):414-418.
- Holliday MA, Friedman AL, Segar WE, Chesney R, Finberg L. Acute hospital-induced hyponatremia in children: a physiological approach. *J Pediatr.* 2004;145(5):584-587. Holliday MA, Segar WE. Reducing errors in fluid therapy management. *Pediatrics.* 2003;111(2):424-425.
- Holliday MA, Segar WE. The maintenance need for water in parenteral fluid therapy. *Pediatrics.* 1957;18:823-832.
- McJunkin JE, de los Reyes EC, Irazuzta JE, et al. La Crosse encephalitis in children. *N Eng J Med.* 2001;344 :801-807.
- McRae RG, Weissburg AJ, Chang KW. Iatrogenic hyponatremia: a cause of death following pediatric tonsillectomy. *Int J Pediatr Otorhinolaryngol.* 1994;30(3):227-232.
- Montañana PA, Modesto i Alapont V, Ocón AP, López PO, López Prats JL, et al. The use of isotonic fluid as maintenance therapy prevents iatrogenic hyponatremia in pediatrics: a randomized, controlled open study. *Pediatr Crit Care Med.* 2008;9(6):589-597.
- Moritz ML, Ayus JC. Prevention of hospital-acquired hyponatremia: a case for using isotonic saline. *Pediatrics.* 2003;111(2):227-230.
- Moritz ML, Ayus JC. Hospital-acquired hyponatremia: why are there still deaths? *Pediatrics.* 2004 [cited 2010 Jun 14];113:1395-1396. Available from: <http://pediatrics.aappublications.org/cgi/reprint/113/5/1395.pdf>
- Moritz ML, Ayus JC. Preventing neurological complications from dysnatremias in children. *Pediatr Nephrol.* 2006;21(7):1048-1049.
- Nevelle KA, Verge CF, Rosenberg AR, O'Meara MW, Walker JL. Isotonic is better than hypotonic saline for intravenous rehydration of children with gastroenteritis: a prospective randomised study. *Arch Dis Child.* 2006;91(3):225-232.
- Neville KA, Verge CF, O'Meara MW, Walker JL. High antidiuretic hormone levels and hyponatremia in children with gastroenteritis. *Pediatrics.* 2005;116(6):1401-1407.
- Progress hearing in the matter of: hyponatraemia related deaths held at the Hilton Hotel on Friday 30th May 2008. Belfast (Ireland): Inquiry into Hyponatraemia-Related Deaths [cited 2010 Jun 14]. Available from: <http://www.ihrdni.org/hearing-30may08-transcript.pdf>
- Taylor D, Durward A. Pouring salt on troubled waters. *Arch Dis Child.* 2004;89(5):411-414.
- Yung M, Keeley S. Randomized controlled trial of intravenous maintenance fluids. *J Paediatr Child Health.* 2009;45(1-2):9-14.